

Table of injuries

Date of injury between 2 November 2005 and 14 October 2013

Statutory maximum: \$340,215

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2019 (\$)
PART 1	Upper extremity injuries	Maximum	80	272,175
	Fingers and Hand			
1104	Sensory loss on either side of thumb	8	6.4	21,780
1105	* Structural loss of index finger	18	16.29	55,430
1106	* Structural loss of 2 joints of index finger	13	12.22	41,585
1107	* Structural loss of distal joint to index finger	8	8.14	27,700
1108	Sensory loss to palmar surface of index finger	8	6.4	21,780
1111	Structural loss of 2 joints of middle finger	13	10.4	35,395
1113	Sensory loss to palmar surface of middle finger	8	6.4	21,780
1115	* Structural loss of ring finger	8	8.14	27,700
1116	* Structural loss of 2 joints of ring finger	6	8.14	27,700
1117	* Structural loss of distal joint of ring finger	5	4.89	16,645
1121	* Structural loss of little finger	8	8.14	27,700
1122	* Structural loss of 2 joints of little finger	6	8.14	27,700
1123	* Structural loss of distal joint of little finger	5	4.89	16,645
1126	Structural loss of hand or arm below the level of the elbow	90	72	244,960
1128	Crush injury to hand with multiple fractures (healed with no deformities) but resulting in mild loss of motion of all fingers with extensive scarring and soft tissue damage	40	32	108,875
1200	Wrist			
1204	Carpal tunnel syndrome, whether operated or non-operated, with residual subjective symptoms or signs e.g. dysaesthesia or muscle wasting	2	1.6	5,450
1206	Fractured scaphoid, operated	5	4	13,615
1208	Fracture of radius or ulna or carpus bones with moderate limitation of wrist movements and mild limitation of elbow movements	16	12.8	43,555
1300	Elbow			

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2019 (date of injury 02.11.2005 to 14.10.2013)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2019 (\$)
1302	Medial or lateral epicondylitis of elbow, whether operated or non-operated with residual subjective symptoms or signs e.g. pain and tenderness	2	1.6	5,450
1303	Injury to elbow region resulting in moderate loss of all movements	31	24.8	84,385
1400	Shoulder and Arm			
1401	Injury to shoulder region resulting in mild loss of all movements	6	4.8	16,340
1402	Injury to shoulder region resulting in moderate loss of all movements	16	12.8	43,555
PART 2	Lower extremity injuries	Maximum	75	255,170
2100	Toes and Foot			
2101	* Structural loss of any toe (other than great toe)	2	8.14	27,700
2102	* Structural loss of great toe	12	16.29	55,430
2103	* Structural loss of joint of great toe	5	8.14	27,700
2104	Fracture of any metatarsal, worst possible outcome e.g. pain or loss of weight transfer	10	7.5	25,525
2106	Structural loss of a foot	63	47.25	160,755
2107	* Structural loss of two toes (other than great toe) of a foot	4	10	34,030
2108	* Structural loss of three toes (other than great toe) of a foot	6	11.75	39,985
2109	* Structural loss of four toes (other than great toe) of a foot	8	13.5	45,940
2110	* Structural loss of great toe and one other toe of a foot	14	20	68,045
2111	* Structural loss of great toe and two other toes of a foot	16	25	85,060
2112	* Structural loss of great toe and three other toes of a foot	18	30	102,075
2113	* Structural loss of joint of great toe and one other toe of a foot	7	10	34,030
2114	* Structural loss of joint of great toe and two other toes of a foot	9	11.75	39,985
2115	* Structural loss of joint of great toe and three other toes of a foot	11	13.5	45,940
2116	* Structural loss of joint of great toe and four other toes of a foot	13	15.25	51,900
2117	* Structural loss of all toes of a foot	20	33.75	114,835
2200	Ankle			
2204	Fracture to os calcis, worst possible outcome	25	18.75	63,805
2300	Knee			
2301	Chondromalacia patellae, non-operated	0	0	0
2302	Chondromalacia patellae, operated	2	1.5	5,110
2304	Patellar fracture, whether operated or non-operated	12	9	30,630

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2019 (date of injury 02.11.2005 to 14.10.2013)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2019 (\$)
2307	Mild aggravation of pre-existing degenerative disease in knee with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	0	0	0
2308	Moderate to severe aggravation or acceleration of pre-existing disease in knee with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	7	5.25	17,870
2312	Total knee replacement	50	37.5	127,590
2400	Hip Joint and Leg			
2401	Mild aggravation of pre-existing degenerative disease in hip joint with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	0	0	0
2402	Moderate to severe aggravation or acceleration of pre-existing disease in hip joint with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	7	5.25	17,870
2403	Injury to hip region resulting in mild loss of all movements	12	9	30,630
2404	Injury to hip region resulting in moderate loss of all movements	25	18.75	63,805
2406	Fracture of femoral neck	50	37.5	127,590
2407	Total hip replacement	45	33.75	114,835
PART 3	Special provision injuries - Vision	Maximum	100	340,215
3100	Vision			
3101	* Loss of vision in 1 eye (corrected vision)		32.58	110,855
3102	* Total loss of vision in 1 eye resulting from loss of an eyeball		36.65	124,700
3104	Total loss of vision of 1 eye with serious diminution of vision in the other eye (less than 10% vision remaining)		85	289,190
PART 3	Special provision injuries - Hearing	Maximum	40.73	138,575
3200	Hearing			
3201	Loss of hearing in 1 ear		20	68,045
3202	* Binaural hearing loss		40.73	138,575
PART 3	Special provision injuries - Breast	Maximum	30	102,075
3300	Injury to Breast			
3301	* Structural loss of breast		30	102,075
PART 4	Other injuries	Maximum	100	340,215
4100	Musculo-Skeletal System			

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2019 (date of injury 02.11.2005 to 14.10.2013)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2019 (\$)
Cervicothoracic Spine				
4105	Prolapsed intervertebral disc in cervical spine with referred pain, non-operated with resolution of subjective symptoms, and no loss of range of movements	10	10	34,030
4106	Prolapsed intervertebral disc in cervical spine with referred pain, treated surgically by discectomy and fusion with resolution of referred pain. Persisting neck pain with moderate loss of range of movements	15	15	51,045
Thoracolumbar Spine				
4111	Major compression fracture of vertebral body(s) in thoracic spine, healed with subjective symptoms, but no physical signs	10	10	34,030
Lumbosacral Spine				
4113	Mild aggravation of pre-existing degenerative disease in lumbosacral spine with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	0	0	0
4115	Moderate to severe aggravation of pre-existing spondylolisthesis, treated surgically by discectomy or fusion with resolution of symptoms	10	10	34,030
4117	Major compression fracture of vertebral body(s) in lumbar region, healed with subjective symptoms, but no physical signs	10	10	34,030
4119	Prolapsed intervertebral disc in lumbosacral spine with referred pain, treated surgically by discectomy or fusion with resolution of referred pain, but persisting low back pain. Mild loss of range of movements	15	15	51,045
4120	Prolapsed intervertebral disc in lumbosacral spine with referred pain, treated surgically by discectomy or fusion, but with persisting referred pain and low back pain. Moderate loss of range of movements	25	25	85,060
Pelvis				
4122	Healed fracture to pelvis with displacement in any region (other than acetabulum, coccyx and sacrum) with subjective symptoms, but no significant signs	5	5	17,020
4126	Fracture or dislocation of symphysis or sacro-iliac joint	10	10	34,030
4200	Nervous System			
Brain and Cranial Nerves				
4202	Severe vertigo with subjective symptoms and signs and totally dependent	70	70	238,155
4203	* Loss of smell	3	12.22	41,585

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2019 (date of injury 02.11.2005 to 14.10.2013)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2019 (\$)
4204	* Loss of smell and taste	6	20.36	69,275
4205	* Loss of speech	35	57.02	194,000
4206	Fracture to the mid third of the face with permanent nerve involvement	24	24	81,660
Spinal Cord Injuries				
4208	* Cervical cord injury with or without fracture	75	90	306,200
4209	Thoracic cord injury with or without fracture	60	60	204,135
4211	* Complete paraplegia	75	90	306,200
4400	Cardiovascular System			
Coronary Artery Disease				
4402	A history of myocardial infarction, with no post infarction angina, on optimal medical treatment	15	15	51,045
4500	Alimentary System			
4502	Splenectomy	5	5	17,020
4503	Subjective symptoms (e.g. local pain or dysaesthesia) following hernia repair(s), but no significant signs	0	0	0
4504	Subjective symptoms and signs (e.g. pain or dysaesthesia, tenderness) following hernia repair(s)	2	2	6,810
4505	Primary or recurrent hernia when surgery is an absolute contraindication	10	10	34,030
4506	Viral hepatitis -			
	mild	25	25	85,060
	moderate	50	50	170,110
	severe	100	100	340,215
4600	Urinary and Reproductive Systems			
4603	Loss of both kidneys or only functioning kidney	100	100	340,215
4604	Loss of fertility	15	15	51,045
4605	Impotence	15	15	51,045
4606	Loss of sexual function (both impotence and infertility)	30	30	102,075
4607	Loss of genital organs	50	50	170,110
4700	Skin			

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2019 (date of injury 02.11.2005 to 14.10.2013)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2019 (\$)
4704	Chronic contact dermatitis. Signs and subjective symptoms persist intermittently on removal from exposure to the primary irritant. Intermittent treatment required	10	10	34,030
4705	Chronic contact dermatitis. Signs and subjective symptoms persist almost continuously on removal from exposure to the primary irritant. Intermittent to constant treatment required	20	20	68,045
4706	Solar induced skin disease that is malignant	25	25	85,060
4707	Persistent neurodermatitis secondary to occupational contact irritant dermatitis. Signs and subjective symptoms persist continuously on removal from exposure to the primary irritant and are exacerbated by exposure to secondary irritants. Constant treatment required	30	30	102,075
PART 5	Prescribed disfigurement	Maximum	50	170,110
5100	Prescribed Disfigurement			
5101	Mild almost invisible linear scarring following surgery or trauma in lines of election to any part(s) of the body with minimal discoloration, normal texture and elevation	0	0	0
5102	Moderate linear scarring following surgery or trauma crossing lines of election to any part(s) of the body with minimal discoloration, normal texture and elevation	2	1	3,405
5103	Moderate to severe linear scarring following surgery or trauma in or crossing lines of election to any part(s) of the body. Discoloured, indurated, atrophic or hypertrophic	10	5	17,020
5104	Area scarring to any part(s) of the body following surgery or trauma. Atrophic or hypertrophic, markedly discoloured	20	10	34,030
5105	Depressed cheek, nasal or frontal bones following trauma	35	17.5	59,550
5106	Loss of or severe deformity of outer ear	40	20	68,045
5107	Severe, bilateral gross facial deformity following burns or other trauma	50	25	85,060
5108	Loss of entire nose	50	25	85,060
5109	Gross scarring following burns to multiple body areas. Some areas healing spontaneously and some requiring grafting. Gross scarring at the burn and donor sites. Outcome resulting in fragile, dry, cracking skin at graft sites necessitating the need for wearing of special garments. Severe cases resulting in loss of sweat glands and lack of sweating leading to the necessity to be in a continuous air conditioned environment	100	50	170,110
PART 6	Psychiatric or psychological injuries	Maximum	100	340,215
6000	Psychiatric impairment from trauma (major depression or psychosis)	100	100	340,215
6001	Adjustment disorder with anxiety/depression	100	100	340,215
6002	PTSD	100	100	340,215
6003	Other psychiatric disorders	100	100	340,215

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2019 (date of injury 02.11.2005 to 14.10.2013)