

Table of injuries

Date of injury between 1 January 1996 and 31 January 1997

Statutory maximum: \$296,300

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2023 (\$)
PART 1	Upper extremity injuries	Maximum	80	237,050
	Fingers and Hand			
1101	Loss of thumb	36	28.8	85,355
1102	Loss of joint of thumb	18	14.4	42,685
1103	Sensory loss to palmar surface of thumb	18	14.4	42,685
1104	Sensory on either side of thumb	8	6.4	18,990
1105	* Loss of index finger	18	16.29	48,290
1106	* Loss of two joints of index finger	13	12.22	36,230
1107	* Loss of distal joint of index finger	8	8.14	24,140
1108	Sensory loss to palmar surface of index finger	8	6.4	18,990
1109	Loss of sensation on either side of index finger	5	4	11,875
1110	Loss of middle finger	18	14.4	42,685
1111	Loss of two joints of middle finger	13	10.4	30,835
1112	Loss of distal joint of middle finger	8	6.4	18,990
1113	Sensory loss to palmar surface of middle finger	8	6.4	18,990
1114	Loss of sensation on either side of middle finger	5	4	11,875
1115	* Loss of ring finger	8	8.14	24,140
1116	* Loss of two joints of ring finger	6	8.14	24,140
1117	* Loss of distal joint of ring finger	5	4.89	14,515
1118	Loss of sensation on either side of ring finger	3	2.4	7,130
1119	Sensory loss to palmar surface of ring finger	5	4	11,875
1120	Sensory loss on either side of ring finger	3	2.4	7,130
1121	* Loss of little finger	8	8.14	24,140
1122	* Loss of two joints of little finger	6	8.14	24,140
1123	* Loss of distal joint of little finger	5	4.89	14,515

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2023 (date of injury 01.01.1996 to 31.01.1997)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2023 (\$)
1124	Sensory loss to palmar surface of little finger	5	4	11,875
1125	Sensory loss on either side of little finger	3	2.4	7,130
1126	Loss of hand or arm below the level of the elbow	90	72	213,350
1127	Aggravation of Dupuytren's contracture	0	0	0
1128	Crush injury to hand with multiple fractures (healed with no deformities) but resulting in mild loss of motion of all fingers with extensive scarring and soft tissue damage	40	32	94,825
1200	Wrist			
1201	De Quervains disease, whether operated or non-operated	0	0	0
1202	Ganglion, whether operated or non-operated, with or without residual subjective symptoms or signs e.g. swelling or tenderness	0	0	0
1203	Carpal tunnel syndrome, non-operated, with no residual subjective symptoms or signs	0	0	0
1204	Carpal tunnel syndrome, whether operated or non-operated with residual subjective symptoms or signs such as dysaesthesia or muscle wasting	2	1.6	4,765
1205	Fractured scaphoid, non-operated and healed with no residual subjective symptoms or signs	0	0	0
1206	Fractured scaphoid, operated	5	4	11,875
1207	Fractured scaphoid, worst possible outcome i.e. fusion of the wrist joint	60	48	142,240
1208	Fracture of radius or ulna or carpus bones with moderate limitation of wrist movements and mild limitation of elbow movements	16	12.8	37,940
1300	Elbow			
1301	Medial or lateral epicondylitis of elbow, non-operated with no residual subjective symptoms or signs	0	0	0
1302	Medial or lateral epicondylitis of elbow, whether operated or non-operated with residual subjective symptoms or signs e.g. pain and tenderness	2	1.6	4,765
1303	Injury to elbow region resulting in moderate loss of all movements	31	24.8	73,505
1400	Shoulder and Arm			
1401	Injury to shoulder region resulting in mild loss of all movements	6	4.8	14,235
1402	Injury to shoulder region resulting in moderate loss of all movements	16	12.8	37,940
1403	Total loss of function of shoulder joint	60	48	142,240
1404	Loss of an arm	100	80	237,050
PART 2	Lower extremity injuries	Maximum	75	222,230
2100	Toes and Foot			

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2023 (date of injury 01.01.1996 to 31.01.1997)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2023 (\$)
2101	* Loss of any toe (other than great toe)	2	8.14	24,140
2102	* Loss of great toe	12	16.29	48,290
2103	* Loss of joint of great toe	5	8.14	24,140
2104	Fracture of any metatarsal, worst possible outcome e.g. pain or loss of weight transfer	10	7.5	22,245
2105	Mid-foot amputation	45	33.75	100,020
2106	Loss of a foot	63	47.25	140,010
2200	Ankle			
2201	Ankylosis of ankle in neutral position	10	7.5	22,245
2202	Unstable ankle with ligamentous insufficiency, whether operated or non-operated	15	11.25	33,355
2203	Total loss of function of ankle joint with ankylosis in unfavourable position, worst possible outcome	62	46.5	137,790
2204	Fracture to os calcis, worst possible outcome	25	18.75	55,580
2205	Fracture of tibia and fibula resulting in shortening of the leg, gait difficulty, muscle wasting in the calf and moderate permanent stiffness of the knee and ankle joints	50	37.5	111,135
2300	Knee			
2301	Chondromalacia patellae, non-operated	0	0	0
2302	Chondromalacia patellae, operated	2	1.5	4,470
2303	Patellar subluxation or dislocation with residual instability	7	5.25	15,575
2304	Patellar fracture, whether operated or non-operated	12	9	26,685
2305	Patellectomy	22	16.5	48,900
2306	Single meniscectomy	7	5.25	15,575
2307	Mild aggravation of pre-existing degenerative disease in knee with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	0	0	0
2308	Moderate to severe aggravation or acceleration of pre-existing disease in knee with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	7	5.25	15,575
2309	Injury to knee region resulting in moderate loss of all movements	20	15	44,465
2310	Unstable knee (cruciate or collateral ligament insufficiency), whether operated or non-operated	25	18.75	55,580
2311	Unstable knee (cruciate and collateral ligament insufficiency), whether operated or non-operated	37	27.75	82,240
2312	Total knee replacement	50	37.5	111,135

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2023 (date of injury 01.01.1996 to 31.01.1997)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2023 (\$)
2313	Below knee amputation	80	60	177,795
2314	Above knee amputation	100	75	222,230
2400	Hip Joint and Leg			
2401	Mild aggravation of pre-existing degenerative disease in hip joint with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	0	0	0
2402	Moderate to severe aggravation or acceleration of pre-existing disease in hip joint with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	7	5.25	15,575
2403	Injury to hip region resulting in mild loss of all movements	12	9	26,685
2404	Injury to hip region resulting in moderate loss of all movements	25	18.75	55,580
2405	Healed fracture to femur with moderate angulation or deformity	45	33.75	100,020
2406	Fracture to femoral neck	50	37.5	111,135
2407	Total hip replacement	45	33.75	100,020
2408	Loss of a leg	100	75	222,230
PART 3	Special provision injuries - Vision	Maximum	100	296,300
3100	Vision			
3101	* Loss of vision in 1 eye (corrected vision)		32.58	96,545
3102	* Total loss of vision in 1 eye resulting from loss of an eyeball		36.65	108,610
3103	Total loss of vision		100	296,300
3104	Total loss of vision of 1 eye with serious diminution of vision in the other eye (less than 10% vision remaining)		85	251,865
PART 3	Special provision injuries - Hearing	Maximum	40.73	120,695
3200	Hearing			
3201	Loss of hearing in 1 ear		20	59,285
3202	* Binaural hearing loss		40.73	120,695
PART 3	Special provision injuries - Breast	Maximum	30	88,905
3300	Injury to Breast			
3301	* Loss of breast		30	88,905
PART 4	Other injuries	Maximum	100	296,300
4100	Musculo-Skeletal System			

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2023 (date of injury 01.01.1996 to 31.01.1997)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2023 (\$)
Cervicothoracic Spine				
4101	Hyperextension musculo-ligamentous injury to cervical spine region with subjective symptoms, but no significant clinical findings	0	0	0
4102	Mild aggravation of pre-existing degenerative disease in cervical spine with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	0	0	0
4103	Moderate to severe aggravation or acceleration of pre-existing degenerative disease in cervical spine with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	5	5	14,835
4104	Compression fracture of a vertebral body(s) or posterior element fracture (spinous or transverse process) without dislocation, healed with no complications, but local subjective symptoms, referred pain and mild restriction of neck movements	5	5	14,835
4105	Prolapsed intervertebral disc in cervical spine with referred pain, non-operated with resolution of subjective symptoms, and no loss of range of movements	10	10	29,645
4106	Prolapsed intervertebral disc in cervical spine with referred pain, treated surgically by discectomy and fusion with resolution of referred pain. Persisting neck pain with moderate loss of range of movements	15	15	44,465
4107	Vertebral fractures or dislocations to cervical spine, treated surgically by fusion with no residual neurological compromise, but severe loss of range of movements	25	25	74,095
Thoracolumbar Spine				
4108	Mild aggravation of pre-existing degenerative disease in thoracic spine with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	0	0	0
4109	Moderate to severe aggravation or acceleration of pre-existing degenerative disease in thoracic spine with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	5	5	14,835
4110	Minor compression fracture of vertebral body(s) in thoracic spine, healed with subjective symptoms, but no physical signs	5	5	14,835
4111	Major compression fracture of vertebral body(s) in thoracic spine, healed with subjective symptoms, but no physical signs	10	10	29,645
Lumbosacral Spine				
4112	Musculo-ligamentous injury to lumbosacral spine region with subjective symptoms, but no significant clinical findings	0	0	0
4113	Mild aggravation of pre-existing degenerative disease in lumbosacral spine with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	0	0	0

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2023 (date of injury 01.01.1996 to 31.01.1997)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2023 (\$)
4114	Moderate to severe aggravation or acceleration of pre-existing disease in lumbosacral spine with subjective symptoms, but no significant clinical findings other than degenerative changes on X-ray	5	5	14,835
4115	Moderate to severe aggravation of pre-existing spondylolisthesis, treated surgically by discectomy or fusion with resolution of symptoms	10	10	29,645
4116	Minor compression fracture of vertebral body(s) in lumbar region, healed with subjective symptoms, but no physical signs	5	5	14,835
4117	Major compression fracture of vertebral body(s) in lumbar region, healed with subjective symptoms, but no physical signs	10	10	29,645
4118	Prolapsed intervertebral disc in lumbosacral spine with referred pain, non-operated with resolution of referred pain and back pain. No loss of range of movements	10	10	29,645
4119	Prolapsed intervertebral disc in lumbosacral spine with referred pain, treated surgically by discectomy or fusion with resolution of referred pain, but persisting low back pain. Mild loss of range of movements	15	15	44,465
4120	Prolapsed intervertebral disc in lumbosacral spine with referred pain, treated surgically by discectomy or fusion, but with persisting referred pain and low back pain. Moderate loss of range of movements	25	25	74,095
Pelvis				
4121	Healed fracture to pelvis without displacement in any region (other than acetabulum, coccyx and sacrum) with subjective symptoms, but no significant signs	0	0	0
4122	Healed fracture to pelvis with displacement in any region (other than acetabulum, coccyx and sacrum) with subjective symptoms, but no significant signs	5	5	14,835
4123	Fracture to coccyx, whether operated or non-operated	5	5	14,835
4124	Healed fracture(s) to pelvis in any region (other than acetabulum, coccyx and sacrum) with displacement and deformity and subjective symptoms and signs	10	10	29,645
4125	Fracture to sacrum with or without involvement of the sacro-iliac joint with subjective symptoms and signs	10	10	29,645
4126	Fracture or dislocation of symphysis or sacro-iliac joint	10	10	29,645
4127	Fracture into acetabulum with displacement and deformity and residual subjective symptoms and signs in hip joint	50	50	148,165
4200	Nervous System			
Brain and Cranial Nerves				
4201	Mild vertigo with subjective symptoms, but no significant signs	0	0	0

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2023 (date of injury 01.01.1996 to 31.01.1997)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2023 (\$)
4202	Severe vertigo with subjective symptoms and signs and totally dependent	70	70	207,420
4203	* Loss of smell	3	12.22	36,230
4204	* Loss of smell and taste	6	20.36	60,340
4205	* Loss of speech	35	57.02	168,965
4206	Fracture to the mid third of the face with permanent nerve involvement	24	24	71,125
4207	Chronic organic brain syndrome i.e. diffuse brain damage following head injuries, cerebral anoxia, inhalation of toxic substances etc., worst possible outcome	100	100	296,300
Spinal Cord Injuries				
4208	* Cervical cord injury with or without fracture	75	90	266,670
4209	Thoracic cord injury with or without fracture	60	60	177,795
4210	Cauda equina syndrome with or without fracture	60	60	177,795
4211	* Complete paraplegia	75	90	266,670
4212	Totally dependent quadriplegia	100	100	296,300
4300	Respiratory System			
4301	Healed fractured rib(s) with subjective symptoms, but no significant signs	0	0	0
4302	Healed pulmonary contusion with subjective symptoms, but no significant signs	0	0	0
4303	Toxic inhalation injury, hypersensitivity pneumonitis, pneumoconioses, occupational asthma, C.O.A.D. (bronchitis or emphysema), R.A.D.S. (Reactive airways dysfunction syndrome), pulmonary embolus, all on optimal medical management -			
	no respiratory subjective symptoms or significant signs	0	0	0
	mild respiratory subjective symptoms or minor signs	25	25	74,095
	moderate respiratory subjective symptoms or moderate signs	50	50	148,165
	severe respiratory subjective symptoms or significant signs	100	100	296,300
4304	Mesothelioma or lung cancer	100	100	296,300
4400	Cardiovascular System			
Coronary Artery Disease				
4401	A history of angina with demonstrated constitutional coronary artery disease, on optimal medical treatment	0	0	0

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2023 (date of injury 01.01.1996 to 31.01.1997)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2023 (\$)
4402	A history of myocardial infarction, with no post infarction angina, on optimal medical treatment	15	15	44,465
4403	A history of myocardial infarction with persisting post infarction angina, on optimal medical treatment	50	50	148,165
4404	A history of myocardial infarction with persisting post infarction angina and subjective symptoms and signs of congestive heart failure, on optimal medical treatment	100	100	296,300
4500	Alimentary System			
4501	Musculo-ligamentous injury to abdominal wall	0	0	0
4502	Splenectomy	5	5	14,835
4503	Subjective symptoms (e.g. local pain or dysaesthesia) following hernia repair(s), but no significant signs	0	0	0
4504	Subjective symptoms and signs (e.g. pain or dysaesthesia, tenderness) following hernia repair(s)	2	2	5,945
4505	Primary or recurrent hernia when surgery is an absolute contraindication	10	10	29,645
4506	Viral hepatitis -			
	mild	25	25	74,095
	moderate	50	50	148,165
	severe	100	100	296,300
4600	Urinary and Reproductive Systems			
4601	Loss of one kidney	10	10	29,645
4602	Urinary incontinence	60	60	177,795
4603	Loss of both kidneys or only functioning kidney	100	100	296,300
4604	Loss of fertility	15	15	44,465
4605	Impotence	15	15	44,465
4606	Loss of sexual function (both impotence and infertility)	30	30	88,905
4607	Loss of genital organs	50	50	148,165
4700	Skin			
4701	Contact irritant dermatitis. Removal from exposure to irritant results in resolution of signs and subjective symptoms with no ongoing treatment required	0	0	0
4702	Aggravation of constitutional dermatitis, resolved by removal from exposure to irritant	0	0	0
4703	Moderate solar induced skin disease that is non-malignant	0	0	0

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2023 (date of injury 01.01.1996 to 31.01.1997)

PI code number	Nature of injury	Max PI (%)	Max WRI (%)	Amount effective 1 July 2023 (\$)
4704	Chronic contact dermatitis. Signs and subjective symptoms persist intermittently on removal from exposure to the primary irritant. Intermittent treatment required	10	10	29,645
4705	Chronic contact dermatitis. Signs and subjective symptoms persist almost continuously on removal from exposure to the primary irritant. Intermittent to constant treatment required	20	20	59,285
4706	Solar induced skin disease that is malignant	25	25	74,095
4707	Persistent neurodermatitis secondary to occupational contact irritant dermatitis. Signs and subjective symptoms persist continuously on removal from exposure to the primary irritant and are exacerbated by exposure to secondary irritants. Constant treatment required	30	30	88,905
PART 5	Prescribed Disfigurement	Maximum	50	148,165
5100	Prescribed Disfigurement			
5101	Mild almost invisible linear scarring following surgery or trauma in lines of election to any part(s) of the body with minimal discoloration, normal texture and elevation	0	0	0
5102	Moderate linear scarring following surgery or trauma crossing lines of election to any part(s) of the body with minimal discoloration, normal texture and elevation	2	1	2,985
5103	Moderate to severe linear scarring following surgery or trauma in or crossing lines of election to any part(s) of the body. Discoloured, indurated, atrophic or hypertrophic	10	5	14,835
5104	Area scarring to any part(s) of the body following surgery or trauma. Atrophic or hypertrophic,	20	10	29,645
5105	Depressed cheek, nasal or frontal bones following trauma	35	17.5	51,870
5106	Loss of or severe deformity of outer ear	40	20	59,285
5107	Severe, bilateral gross facial deformity following burns or other trauma	50	25	74,095
5108	Loss of entire nose	50	25	74,095
5109	Gross scarring following burns to multiple body areas. Some areas healing spontaneously and some requiring grafting. Gross scarring at the burn and donor sites. Outcome resulting in fragile, dry, cracking skin at graft sites necessitating the need for wearing of special garments. Severe cases resulting in loss of sweat glands and lack of sweating leading to the necessity to be in a continuous air conditioned environment	100	50	148,165
PART 6	Psychiatric or psychological injuries	Maximum	100	296,300
6000	Psychological impairment from trauma (major depression or psychosis)	100	100	296,300
6001	Adjustment disorder with anxiety / depression	100	100	296,300

* = Nature of injury effective 01.01.1991

Table of injuries effective 1 July 2023 (date of injury 01.01.1996 to 31.01.1997)